

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L7	0	TW20030118398	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 20:08
L8	1	"92118398"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 20:09
L9	1	("6845383").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/12/15 20:10
L10	0	("92118398").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/12/15 20:12
L11	0	"092118398"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 20:13
L12	1	"92118398"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 20:13
S1	1	("20010042171").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/12/15 14:06
S2	1	("20090119359").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/12/15 14:11
S3	0	((thin-client or thin client) near7 (proxy cache)) same (remote server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 14:22
S4	0	((thin-client or thin client) near20 (proxy (cache or server))) same (remote server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 14:23

S5	123	((thin-client or thin client near20 (proxy (cache or server)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 14:23
S6	1	("5734853").FN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/12/15 15:05
S7	65	((thin-client or thin client near20 (proxy)) same request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 15:09
S8	23	((thin-client or thin client near20 (proxy)) same secur\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 15:10
S9	229	((thin-client or thin client near20 (proxy))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 15:11
S10	100	((remote desktop or rdp or citrix) near20 (proxy))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 15:19
S11	174	citrix.as. and proxy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 15:19
S12	45	citrix.as. and proxy.ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 15:19
S13	23	((thin-client) near12 (user interface or gui) and proxy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 15:23

S14	183	((thin client) near12 (user interface or gui)) and proxy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 15:27
S15	0	((skinny client) near20 (proxy)) same request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 15:29
S16	0	((tiny client) near20 (proxy)) same request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 15:29
S17	40	((tiny client) near20 (proxy))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 15:29
S18	47	((skinny client) near20 (proxy))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 15:30
S19	164	((thin-client or thin client) near20 (cache or intermediary or intermediate or mediat \$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 15:31
S20	0	(thin-client or thin client) same (((intercept\$3 or captur\$3) near3 request) near12 ((foward\$3 or transfer\$4 or transmit\$4 or send\$3) adj5(server)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 15:38
S21	4	((thin-client or thin client) same (((intercept\$3 or captur\$3 or foward\$3) near3 request) near12 server))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 15:39

S22	7	(thin-client or thin client) same ((intercept\$3 or captur\$3 or foward\$3) near3 request)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 15:40
S23	2	(Calvin near Phil).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 15:41
S24	134	citrix.as. and (thin-client or thin client)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 15:43
S25	13	thinclient	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 15:43
S26	847	(gui or user interface) near5 proxy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 15:44
S27	0	((gui or user interface) near5 proxy) same (storage server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 15:44
S28	3	((gui or user interface) near5 proxy) same (remote server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 15:44
S29	347	((gui or user interface) near5 proxy) same (server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 15:45

S30	64	((gui or user interface) near5 proxy) near12 request) same (server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 15:45
S31	183	((storage or proxy or intermediate or host\$3) server) near20 (thin-client or thin client)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 15:50
S32	224	(gui or user interface) near12 (remote\$2 near2 storage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 15:55
S33	162	(thin-client or thin client) near7 (proxy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 16:01
S34	18	((thin-client or thin client) near7 (proxy)) same stor \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 16:01
S35	17	((thin-client or thin client) near7 (proxy)) same request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 16:03
S36	0	((icx) near20 (proxy))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 16:12
S37	83	(proxy server).ab. and (thin client or thin-client)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 16:15

S38	397	((proxy server) near5 ((execut\$3 or run\$4 or host\$3) near2 (application or programs)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 16:20
S39	16	((proxy server) near5 ((execut\$3 or run\$4 or host\$3) near2 (application or programs))) same (gui or user interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 16:23
S40	11	((proxy server) near5 ((execut\$3 or run\$4 or host\$3) near2 (application or programs))) same ((storage or remote) server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 16:26
S41	31	((proxy server) near5 ((execut\$3 or run\$4 or host\$3) near2 (application or programs))) same ((storage or remote or content or database) server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 16:26
S42	3	(remote desktop or rdp or citrix or ica) near20 (storage server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 16:29
S43	0	proxy near15 sstorage manager	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 16:30
S44	15	proxy near15 storage manager	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 16:30
S45	2	(thin-client or thin client) near20 (storage manager)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 16:32

S46	1	((thin-client or thin client) near20 (content manager)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 16:33
S47	205	((thin-client or thin client) near20 (manager)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 16:34
S48	25	((thin-client or thin client) near20 (manager)) same stor\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 16:34
S49	267	((thin-client or thin client) near20 (gui or user interface)) same stor\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 16:36
S50	15	((thin-client or thin client) near20 (gui or user interface)) same (stor\$3 near12 remote\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 16:37
S51	1168	((thin-client or thin client) same (application server))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 16:48
S52	186	((thin-client or thin client) same (application server)) same (gui or user interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 16:48
S53	16	(proxy near2 (application server)) same (gui or user interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 17:13

S54	795	(proxy near2 (application server))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 17:18
S55	2	(proxy near2 (application server)) same (storage server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 17:18
S56	23	((proxy near2 (run\$4 or execut\$4)) near2 (application server))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 17:19
S57	14	((proxy server) near9 (gui or user interface)) same storage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 17:23
S58	79	(gui or user interface) near15 storage manager	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 17:27
S59	27	((proxy server) near20 (gui or user interface)) same storage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 17:27
S60	76161	((proxy near12 gui or user interface)) same storage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 17:30
S61	122	(proxy near12 (gui or user interface)) same storage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 17:30

S62	11	US-20065790446-\$.D.ID. OR US-5860073-\$.D.ID. OR US-5870559-\$.D.ID. OR US-5958008-\$.D.ID. OR US-6144962-\$.D.ID. OR US-6199082-\$.D.ID. OR US-6230173-\$.D.ID. OR US-6237006-\$.D.ID. OR US-6341310-\$.D.ID. OR US-6470383-\$.D.ID. OR US-6584480-\$.D.ID. OR US-4640213-\$.D.ID.	US-PGPUB; USPAT; USOCR	ADJ	ON	2010/12/15 17:48
S63	27	(proxy near2 (application server)) near15 remote\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 17:57
S64	2	((proxy server) near9 ((run \$4 or exeuct\$3 or provid \$3) near2 (user interface or gui))) same request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 18:03
S65	7	((("5935207") or ("20020162020") or ("6144996") or ("20030005080") or ("20020184403") or ("5642515") or ("20030050974"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/12/15 18:06
S66	1	((remote\$2 access\$3) near12 (gui or user interface)) same storage server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 18:09
S67	99	((remote\$2 access\$3) near12 storage) same (gui or user interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 18:09
S68	0	((remote\$2 access\$3) near12 proxy cache) same (gui or user interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 18:11

S69	0	((remote\$2 near2 access \$3) near12 proxy cache) same (gui or user interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 18:11
S70	0	((remote\$2 near2 access \$3) near12 proxy server) same (gui or user interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 18:11
S71	22	((remote\$2 near2 access \$3) near20 application server) same (gui or user interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 18:11
S72	3	((remote\$2 near2 access \$3) near12 proxy cache)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 18:13
S73	6	(remote application) same ((access\$3 or retriev\$3 or download\$3 or pull\$3) adj5 ((storage or content or database) server))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 18:16
S74	53	(remote application server) same (gui or user interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 18:17
S75	63	(remote application server) and (thin client or thin-client)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 18:20
S76	10741	sbc	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 18:21

S77	27	(sbc near12 proxy server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 18:21
S78	0	(sbc near12 proxy cache)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 18:24
S79	5	(server based computing near12 proxy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 18:24
S80	107	((server based computing or sbc) near20 proxy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 18:32
S81	45	((server based computing) near12 (gui or user interface))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 18:35
S82	0	((server based computing) near12 (intermed\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/15 18:37

EAST Search History (Interference)

< This search history is empty >

12/ 15/ 2010 8:22:22 PM**C:\ Documents and Settings\jwillis\ My Documents\ EAST\ Workspaces\ 10599402_2F.wsp**